



EXTRUTECH PLASTICS, INC.

"Custom Extruder of Close Tolerance Profiles"

FOR QUOTE , FAX TO (920) 684-4344

Pre-Hung Corrosion Proof PVC Interior Doors


1. Door Location

- Door will be for Interior use only.

2. Door Swing

Circle your choice

Note: Painting or use as Exterior Door will void Door Warranty.



View Door Unit from outside room.

3. Frame Options

- 3" Jamb (For EPI Wall System)
- 4 9/16" Jamb
- 6 9/16" Jamb
- PVC Sill No Sill
- Colonial Casing x2
- Brickmoulding x2
- 3 1/2"x5/8 Foam Brd. x2
- _____

4. Window Options

- 16 x 16 Window
- 20 x 24 Window
- _____ Window
- Insul Glass / 1/4" Plexi

5. Standard Door Size

- Size out to out Rough opening*
- 2868 34" x 82" 35"x 83"
 - 3068 38" x 82" 39"x 83"
 - 2870 34" x 86" 35"x 87"
 - 3070 38" x 86" 39"x 87"
 - Frame Size _____ x _____

6. Panel Options

- Insulated Door Panel
- Rough Opening Buck
- Door Closer Reinforcement
- Door Closer - (Reversible)
- Door Latch Cover Plate
- Double Swing Door
- _____

7. Lock Options

- Locking.
- Knob(Round) Lever
- NON Locking
- Knob(Round) Lever
- Door Knob Bore
- Dead Bolt Bore
- S.S. Barn Latch
- Push / Pull Plates
- _____

8. " DOORS ARE NOT FIRE RATED"

Rough Opening Size _____ Wall Thickness _____

9. COMPANY NAME _____ DATE: _____

NAME _____ CITY _____

ADDRESS _____ STATE _____ ZIP _____

TELEPHONE _____ CELL.# _____ FAX _____

10.

Please Sign Customer Approval if all information is correct and return.

Customer Approval : _____ Date: _____

Note: Painting or use as Exterior Door will void Door Warranty.

For Office use Only:

5902 W. Custer Manitowoc, WI 54220 Phone 1-888-818-0118 Fax 920-684-4344

Phone 920-684-9650 www.epiplastics.com e-mail: info@epiplastics.com






EXTRUTECH PLASTICS, INC.

"Custom Extruder of Close Tolerance Profiles"

FOR QUOTE, FAX TO (920) 684-4344

Pre-Hung Corrosion Proof PVC Double Doors



1. **Door Swing**

View Door Unit from outside room.

Please circle item and list qty.

2. Rough Opening Size _____ Wall Thickness _____

3. Door Location

Door will be for Interior use only.

4. Frame Options

3" Jamb
 4 9/16" Jamb
 6 9/16" Jamb

5. Frame Options

PVC Sill No Sill
 Colonial Casing x2
 Brickmoulding x2
 3 1/2" Foam Brd x2

6. Windows

16 x 16 Window x2
 20 x 24 Window x2
 _____ Window
 Insul Glass / 1/4" Plexi

7. Standard Door Size

Size out to out Rough opening

5468 67"x 82" 67.5"x 82.25"

6068 75"x 82" 75.5"x 82.25"

5470 67"x 86" 67.5"x 86.25"

6070 75"x 86" 75.5"x 86.25"

Custom Size _____ x _____

8. Panel Options

Insulated Door Panel

Rough Opening Buck

Door Closer Reinforcement

Door Closer - (Reversible)

Door Latch Cover Plate

9. Lock Options

Locking.

Knob(Round) Lever

NON Locking

Knob(Round) Lever

Door Knob Bore

Dead Bolt Bore

S.S. Barn Latch

Push / Pull Plates

10. COMPANY NAME _____ DATE: _____

NAME _____ CITY _____

ADDRESS _____ STATE _____ ZIP _____

TELEPHONE _____ CELL.# _____ FAX _____

11. Please Sign Customer Approval if all information is correct and return.

Customer Approval : _____ Date: _____


Note: Painting or use as Exterior Door will void Door Warranty.

" DOORS ARE NOT FIRE RATED"

5902 W. Custer Manitowoc, WI 54220 Phone 1-888-818-0118 Fax 920-684-4344

Phone 920-684-9650 www.epiplastics.com e-mail: info@epiplastics.com





EXTRUTECH PLASTICS, INC.

"Custom Extruder of Close Tolerance Profiles"


Corrosion Proof PVC Doors Door Panels Only

**** No Frame Included ****

(Hinges Surface Mounted)

X Exact Panel Size

Door Panel Options



- Locking Door Knob
- Locking Door Lever
- Door Knob (no lock)
- Passage Lever
- Door Latch Cover Plate
- Door Knob Bore
- Dead Bolt Bore
- Insulated Door
- S.S. Barn Latch
- Hinges
- (Hinges) L.H. Panel
- (Hinges) R.H. Panel

Please provide exact dimensions

Window sizes

- 16 x 16
- 20 x 24
- 22 x 30

FOR QUOTE , FAX TO (920) 684-4344

" DOORS ARE NOT FIRE RATED"

For Office use Only _____

COMPANY NAME _____ DATE: _____
 NAME _____ CITY _____
 ADDRESS _____ STATE _____
 TELEPHONE _____ FAX _____

Customer Approval : _____ Date: _____

Note: Painting or use as Exterior Door will void Door Warranty.

5902 W. Custer Manitowoc, WI 54220 Phone 1-888-818-0118 Fax 920-684-4344

Phone 920-684-9650 www.epiplastics.com e-mail: info@epiplastics.com

